

SPEED GATE



Digital Guardian

Model No: VB0905



Features


- Reasonable and reliable design, low noise, smooth operation and long service life;
- Cooperating with our professional machine core, the function is more powerful.
- LED indicator, valid card showing green, illegal card showing red;
- Card can be set "with memory" or "without memory";
- With automatic reset function, i.e. after having access to the gate, the gate automatically restores to the locked state if not pass within the time set;
- Compatible with IC, ID card, scanning and face recognition;
- With unified and standard external electrical interface to facilitate system integration;
- Extensible to realize access control, attendance, fees and other functions;
- Can be used outdoors completely, one machine can be used as a lane.



Technical Specification

Size (L*W*H)	1200*220*980mm
Pass width	550mm
Power	35W
Material	Top cover 1.2mm+body 0.9mm SUS304
Bar Material	SUS201
Movement	Tripod turnstile movement with anti-pass back function
Indicator Light	RGB light
Power Supply	24V 50W
Control Unit	Main board
Communication Interface	Dry contact & RS485
Pass rate	35-50 persons/minute
Temperature	-20°C~+70°C
Humidity	≤90% No condensation
IP	IP4X
Environment	Indoor and outdoor (outdoor with canopy)

Dimensions





Digital Guardian

Case Share



Mailing Address

VOSTOK Trading L.L.C,
304, 3rd Floor, Al Tawhidi Building,
Khaleed Bin Waleed Road,
P.O. Box: 27106 - Dubai,
UNITED ARAB EMIRATES.

Contact Details

Tel : (+971 4) 3558816

Fax : (+971 4) 3558817

Email : sales1@digitalgardian.com /
sales2@digitalgardian.com /

www.digitalgardian.com